



SOME LIKE IT WARM

## General Catalogue

- Panel Radiators •
- Towel Radiators •
- Decorative Panel Radiators •

## *Hauptkatalog*

- Flachheizkörper •*
- Badheizkörper •*
- Dekorativ Flachheizkörper •*

# COPA MENTALITY

## LEAN Production & Management

At all the production&management stages of COPA, it is our fundamental responsibility to eradicate wastefulness in our value chain and focus on creating exceptional value for the customer. It is possible by using our resources to create more value, increase the profitability and competitiveness of our company, increase customer satisfaction and continually decrease wastefulness in our management and production systems. By embracing 'lean thinking' we have made it our principle to contribute to increasing the wealth of society by ensuring that the 'lean systems' are adopted by all our suppliers and in all our business fields, thus reaching operational perfection.

## Design

Copa Radiators are designed to have high heating capacity, pressure endurance by means of computerize simulated analysis and design methods, obtained together with German heating science institute HLK Stuttgart.

## Production

COPA products are produced with the latest know-how fully automatic welding lines with computerized control systems.

## Paint

COPA painting plant is one of the most technological and high standard painting lines in our the sector. Our standard colour is RAL 9016 (White) in epoxy polyester powder. A wide range of RAL colours are available, at a surcharge, on request.

## Packaging

All COPA radiators are packed with side cartons and bubbled nylon. The corners are protected with Plastic protection against impacts. Hooks are also protected with plastic covers. In order to prevent our radiators against dust, humidity and transportation damages, all products are also protected with shrinked nylon bags.

## Quality

100 % of COPA production is tested against to leakages and welding quality. COPA products are produced in compliance with international quality standards; ISO 9001, EN 442, DIN CERTCO and CE.

# Towel Radiators Badheizkörper




## Mysia Series

- Elegant Installation
- Esthetic & Decorative
- Suitable Production to EN 442 standards
- Chrome Finish
- Optimum Heat Output & Number of Tubes
- High Pressure Resistance
- Corrosion Resistance
- Straight and Curved Options
- 4 x R 1/2" and 6 x R 1/2" options (Bottom Middle Connection)
- Wide range of dimensions
- Ready to install: Relevant Wall Fixing Accessories are included


## Mysia Serie

- Einfache Installation
- Ästhetisch & dekorativ
- Produktion erfolgt gemäß EN 442
- Chrombeschichtung
- Optimale Wärmeleistung & Röhrenanzahl
- Hoher Betriebsdruck
- Korrosionsbeständig
- Gerade und gebogene Ausführung
- Anschluss-Möglichkeiten 4 x R 1/2" oder 6 x R 1/2" Mittelanschluss
- Breite Produktpalette
- Fertig zur Installation: inklusiv der dazugehörigen Befestigungen für die Wand



# Towel Radiators Badheizkörper

## Mysia Serie



Sizes Grössen (mm)		Axis Nabenabstand (mm) (A)	No. of Elements Anzahl der Elemente	Volume Volumen (lt)	Weight Gewicht (kg)	EN 442 75/65 - 20°C				EN 442 90/70 - 20°C			
Width Breite (L)	Height Höhe (H)					Straight Gerade		Curved Gebogen		Straight Gerade		Curved Gebogen	
						Watt	Kcal/h	Watt	Kcal/h	Watt	Kcal/h	Watt	Kcal/h
400	600	355	12	2,40	3,80	190	164	193	166	239	206	242	209
400	800	355	17	3,20	5,10	242	209	245	211	302	260	306	264
400	1000	355	20	4,00	6,40	297	256	300	259	369	318	373	322
400	1200	355	25	4,80	7,65	354	305	358	309	440	379	445	384
400	1400	355	28	5,60	8,90	414	357	418	360	515	444	521	449
400	1600	355	33	6,45	10,35	477	411	482	416	592	510	599	516
400	1800	355	38	7,30	11,80	544	469	550	474	674	581	681	587
500	600	455	12	2,80	4,40	233	201	235	203	292	252	295	254
500	800	455	17	3,71	5,94	298	257	301	259	371	320	375	323
500	1000	455	20	4,63	7,48	363	313	367	316	451	389	456	393
500	1200	455	25	5,53	8,89	433	373	438	378	538	464	545	470
500	1400	455	28	6,43	10,30	506	436	511	441	630	543	637	549
500	1600	455	33	7,49	11,99	583	503	590	509	725	625	733	632
500	1800	455	38	8,55	13,68	666	574	674	581	826	712	836	721
600	600	555	12	3,20	5,00	275	237	278	240	345	297	349	301
600	800	555	17	4,23	6,78	350	302	354	305	438	378	443	382
600	1000	555	20	5,25	8,55	429	370	434	374	534	460	540	466
600	1200	555	25	6,25	10,13	510	440	516	445	635	547	642	553
600	1400	555	28	7,25	11,70	597	515	604	521	744	641	752	648
600	1600	555	33	8,53	13,63	689	594	697	601	858	740	867	747
600	1800	555	38	9,80	15,55	786	678	795	685	977	842	988	852
800	600	755	12	4,00	6,20	357	308	361	311	446	384	451	389
800	800	755	17	5,25	8,45	455	392	460	397	568	490	575	496
800	1000	755	20	6,50	10,70	557	480	563	485	694	598	701	604
800	1200	755	25	7,70	12,60	663	572	671	578	827	713	837	722
800	1400	755	28	8,90	14,50	775	668	784	676	967	834	978	843
800	1600	755	33	10,60	16,90	894	771	904	779	1.115	961	1.128	972
800	1800	755	38	12,30	19,30	1.020	879	1.032	890	1.274	1.098	1.288	1.110